U.S. Appl. No.: 10/595,631

Attorney Docket No. LAV0313161

AMENDMENTS TO THE DRAWINGS

Please replace the sheet of drawings by the replacement sheet of drawings with amended

Fig. 2 which is submitted with this paper. The replacement sheet does not add any new matter.

U.S. Appl. No.: 10/595,631

Attorney Docket No. LAV0313161

REMARKS

By the present amendment, the abstract and Fig. 2 have been amended to show legends

from the description corresponding to reference numerals 12-20 in the specification,

Further, in claim 1, the expression "and/or" has been replaced by "at least one of (i)... and

(ii)..." in the last clause and the expression "or" has been amended accordingly in the clause of the

"detection means." Also, the word "state" has been corrected to "stage" in that clause.

Also, in claims 1 and 2, the expression "the or each post-injection" has been replaced by

"the post-injections."

Also, claim 1 has been amended for legibility to recite that the performing means is for

immediately interrupting the post-injections if the total quantity of fuel that has been injected

through post-injections since the start of the post-injections during the stage of returning to idling

reaches the predetermined maximum quantity during this stage of returning to idling, and (ii)

progressively reducing the post-injections as soon as the total quantity of fuel that has been

injected through post-injections since the start of the post-injections during the stage of the engine

idling reaches the predetermined maximum quantity during this stage of the engine idling.

New dependent claim 8 has been added to recite means for detecting (i) a state in which the

vehicle accelerator pedal is being raised and (ii) a stage in which the vehicle engine is idling.

.

New dependent claim 9 has been added to recite means for detecting a stage in which the

vehicle accelerator pedal is being raised, and means for immediately interrupting the

post-injections if the total quantity of fuel that has been injected through post-injections since the

U.S. Appl. No.: 10/595,631

Attorney Docket No. LAV0313161

start of the post-injections during the stage of returning to idling reaches the predetermined

maximum quantity during this stage of returning to idling.

New dependent claim 10 has been added to recite means for detecting a stage in which the

vehicle engine is idling, and means for progressively reducing the post-injections as soon as the

total quantity of fuel that has been injected through post-injections since the start of the

post-injections during the stage of the engine idling reaches the predetermined maximum quantity

during this stage of the engine idling.

In addition, new method claims 11-20 corresponding to system claims 1-10 has been

added. Thus, claims 1 and 11 recite a common special technical feature that defines a contribution

to the art. Since the present application is a national stage of a PCT application, it is submitted that

system and method claims should be examined together in accordance with PCT "unity of

invention" rules.

Claims 1-20 are pending in this application. Claims 1 and 11 are the only independent

claims.

In the Office Action, Fig. 2 is objected to as insufficiently described.

A replacement sheet is submitted with this paper, in which Fig. 2 is amended to show

legends from the description corresponding to reference numerals 12-20 in the specification as

follows:

12: detect accelerator pedal raised or engine idling

· 13: acquire temperature downstream from catalyst-forming means

• 14: determine maximum quantity to be injected during post-injections

U.S. Appl. No.: 10/595,631

Attorney Docket No. LAV0313161

· 15: monitor quantity of fuel injected

16: predetermined maximum quantity reached?

17: accelerator pedal raised

18: interrupt post-injection

· 19: engine idling

20: reduce post-injection progressively

In view of the above, it is submitted that the objection should be withdrawn.

Next, in the Office Action, the abstract is objected to as being too long and using legalistic language.

The abstract has been amended to eliminate the "means" language and to reduce the length to 140 words. Accordingly, it is submitted that the objection should be withdrawn.

Next, in the Office Action, claims 1-7 are rejected under 35 U.S.C. 112, first paragraph, as lacking enablement in being contradictory because of the expression "and/or" in the last clause of claim 1.

The expression "and/or" has been replaced by "at least one of (i)... and (ii)..." in claim 1.

Accordingly, it is submitted that the rejection should be withdrawn.

Next, in the Office Action, claims 1-7 are rejected under 35 U.S.C. 112, second paragraph, as indefinite because of the expression "the or each" in claims 1 and 2.

The expression "the or each post-injection" has been replaced by "the post-injections" in claims 1 and 2. Accordingly, it is submitted that the rejection should be withdrawn.

U.S. Appl. No.: 10/595,631

Attorney Docket No. LAV0313161

Next, in the Office Action, claims 1-7 are rejected under 35 U.S.C. 103(a) as obvious over

US 6,666,020 to Tonetti et al. ("Tonetti"). It is alleged in the Office Action that Tonetti discloses

the features of present claim 1 except immediate interruption or progressive reduction of the

post-injections, but that this modification would have been obvious because Tonetti allegedly

discloses proportional regulation of the post-injection as a function of the exhaust temperature.

The rejection is respectfully traversed. In the present invention, the "predetermined

maximum quantity" is a "total quantity of fuel that has been injected through post-injections since

the start of the post-injections during this period." Thus, in the present invention, the

"predetermined maximum quantity" is a cumulated amount and not an amount for each

post-injection per engine cycle.

Thus, as recited in present claim 1, the present invention includes means for performing at

least one of (i) immediately interrupting the post-injections if the total quantity of fuel that has

been injected through post-injections since the start of the post-injections during the stage of

returning to idling reaches the predetermined maximum quantity during this stage of returning to

idling, and (ii) progressively reducing the post-injections as soon as the total quantity of fuel that

has been injected through post-injections since the start of the post-injections during the stage of

the engine idling reaches the predetermined maximum quantity during this stage of the engine

idling.

It is submitted that this feature of present claims 1-10 is not taught or suggested in Tonetti,

because Tonetti is completely silent as to the problems created by permanent post-injections in an

idling engine (reduced temperature and oil dilution), and in addition, Tonetti does not suggest

U.S. Appl. No.: 10/595,631

Attorney Docket No. LAV0313161

addressing this problem by (i) setting a threshold for accumulated quantity of fuel injected through

post-injections when the engine is idling (or returning to idling), and (ii) when this threshold is

reached, interrupting or progressively reducing the post-injections. In particular, the regulation

type of the present invention is completely different from a "proportional" regulation as disclosed

at col. 10, lines 41-43 of Tonetti, to which reference is made, because such "proportional"

regulation as in Tonetti focuses on a regulation per engine cycle, which is completely different

from using as a control threshold a maximum cumulated quantity of fuel injected through

post-injections during a particular stage.

In other words, the present invention focuses on setting a global cap on the amount of fuel

that will be post-injected by the engine under the regeneration strategy during a period where the

engine is idling (or returning to idling). Once this total cap is reached, the volume of each

post-injections will be interrupted or progressively reduced.

Thus, the maximum quantity as recited in the present invention is a predetermined value

that will be reached once the successive volumes injected by each post-injection will have added

up to this "maximum quantity." At that point, according to the invention, the post-injections will

be interrupted or reduced progressively.

The "predetermined maximum quantity" of the present invention is illustrated by the

exemplary embodiment of a supply which is emptied progressively during the period of idling (or

accelerator pedal being raised), then reinitialized at the end of the period (see description at page

6, lines 20-24). The supply corresponds to the "total quantity" allowed for post-injections under

the regeneration strategy during a period of idling. As soon as post-injections start during that

U.S. Appl. No.: 10/595,631

Attornev Docket No. LAV0313161

period, the supply is progressively emptied. Once the supply will be empty, the "maximum

quantity" allowed for implementing the regeneration strategy will have been reached, and the

system will interrupt or progressively reduce the post-injection.

Thus, in the presently claimed invention, a parameter, which is the total amount since the

start of post-injections during a period of idling, is used to trigger the interruption or progressive

reduction of the post-injections. This is completely different from setting a maximum for the

volume of each post-injection, which would be the variable controlled in Tonetti. As a result,

Tonetti completely fails to teach or suggest a system according to present claim 1, and in particular

means for detecting at least one of (i) a stage in which the vehicle accelerator pedal is being raised

and (ii) a stage in which the vehicle engine is idling; and means for performing at least one of (i)

immediately interrupting the post-injections if the total quantity of fuel that has been injected

through post-injections since the start of the post-injections during the stage of returning to idling

reaches the predetermined maximum quantity during this stage of returning to idling, and (ii)

progressively reducing the post-injections as soon as the total quantity of fuel that has been

injected through post-injections since the start of the post-injections during the stage of the engine

idling reaches the predetermined maximum quantity during this stage of the engine idling, as

recited in present claim 1. Therefore, present system claims 1-10 are not anticipated by, and not

obvious over, Tonetti.

Further, it is submitted that the obviousness rationale under 2007 Supreme Court decision

in KSR International Co. v. Teleflex Inc., 82 USPQ2d 1385 (2007) does not lead a different

conclusion. Namely, contrary to the assertion in the Office Action, adjusting post-injections by

U.S. Appl. No.: 10/595,631

Attorney Docket No. LAV0313161

setting a threshold for the total quantity of fuel that has been injected through post-injections in a

particular stage is <u>not</u> a "known technique" so that applying it to other situations is <u>not</u> "implied

parateur singe is <u>not</u> a sine in terminal so that applying it to other situations is <u>not</u>

by the teachings of Tonetti et al." as asserted at page 5, last paragraph of the Office Action.

Further, it is submitted that the present situation does not meet any of the proposed

"rationales (A)-(G)" in the USPTO Guidelines of October 10, 2007. Rationales (A)-(D) do not

apply because there is no indication that a preset threshold is a "known technique" for regulating

post-injections in rich mode. Rationale (E) does not apply because Tonetti is silent as to a set

threshold so there is no prediction as to whether the modification would work. Rationale (F) is not

available because there is no indication of particular market forces or design incentives to regulate

post-injections in this manner. Rationale (G) is not available, because there is no indication of any

teaching, suggestion, or motivation in Tonetti for the technical features of the present invention.

In summary, far from being a modified application of "known technique," the present

invention provides an effective solution to a technological problem that is not even identified in

Tonetti. The features of the presently claimed invention and their advantages are not taught or

suggested in Tonetti. Therefore, present claim 1 is not anticipated by, and not obvious over,

Tonetti.

In addition, with respect to the dependent claims, it is submitted that Tonetti completely

fails to teach or suggest the combined features of each of these respective claims. Therefore, each

of the dependent claims is not anticipated by, and not obvious over, Tonetti.

Also, with respect to new claims 11-20, it is submitted that Tonetti fails to teach or suggest

the features of claims 11-20 for the same reasons as discussed above.

U.S. Appl. No.: 10/595,631

Attorney Docket No. LAV0313161

In view of the above, it is submitted that the rejection should be withdrawn.

Next, in the Office Action, claims 1-7 are provisionally rejected under 35 U.S.C. 101 as

identical to the claims of co-pending application No. 10/595,623.

The rejection is respectfully traversed. The co-pending '623 application recites a

"maximum duration" parameter rather than a "maximum fuel quantity" parameter. Specifically,

claim 1 of the '623 application recites:

- means for responding to said temperature to determine a

maximum duration of post-injection application during stages in

which the engine is returning to idling as a result of the accelerator

pedal being raised and stages during which the engine is idling; and

- means for immediately interrupting the or each

post-injection if the duration of post-injection utilization reaches the

predetermined maximum duration of application during a stage of

returning to idling, and/or for progressively reducing the or each

post-injection when the duration of post-injection utilization

reaches the predetermined maximum duration of application during

a stage of the engine idling.

(Emphasis added.) Thus, the features of the present claims are completely different from the

features of the claims in the '623 application. Therefore, each of the present claims is not obvious

over the claims of the '623 application taken alone or in any combination.

In view of the above, it is submitted that the rejection should be withdrawn.

U.S. Appl. No.: 10/595,631

Attorney Docket No. LAV0313161

In conclusion, the invention as presently claimed is patentable. It is believed that the claims are in allowable condition and a notice to that effect is carnestly requested.

In the event there is, in the Examiner's opinion, any outstanding issue and such issue may be resolved by means of a telephone interview, the Examiner is respectfully requested to contact the undersigned attorney at the telephone number listed below.

In the event this paper is not considered to be timely filed, the Applicants hereby petition for an appropriate extension of the response period. Please charge the fee for such extension and any other fees which may be required to our Deposit Account No. 502759.

Respectfully submitted,

/nicolas seckel/

Nicolas E. Seckel Attorney for Applicants Registration No. 44,373

Nicolas E. Seckel Patent Attorney 1250 Connecticut Avenue, NW Suite 700 Washington, DC 20036

Tel: 202-669-5169 Fax: 202-822-1257 Customer No.: 29980

NES/rep